

CUSTOM COIL & Flat Sheets



BENEFITS

- » Vast selection of designer colors and gauges
- » Custom coil widths and lengths (minimum of 200 linear feet)
- » Custom trim in matching colors
- » Supporting products (fasteners, underlayment, clips and closures)
- » Quick turnaround time
- » Convenient locations for easy pick up
- » Job site delivery (for a fee)



FLAT SHEETS

- » Available in full width up to 21 feet
- » 26 Gauge in 41 9/16" width
- » 24 Gauge in 43" width
- » 24 Gauge in 48" width (limited colors)
- » 22 Gauge in 43" width (Galvalume Plus, Bright White and Weathering Steel only)

PACKAGING

Coils are packaged with rain cap, ID and OD protector.

Flats are packaged with strippable plastic and can be rolled or palletized (additional pallet charge).



COIL COLOR AVAILABILITY

Color	26 Gauge Tensile Strength 50/80 ksi	24 Gauge Tensile Strength 50 ksi	22 Gauge Tensile Strength 50 ksi	Thermal Emittance ¹ Range 0 to 1	Solar Reflectance (TSR) ² Range 0 to 1	Film Integrity (Years)	Color Fade ASTM D 2244 (Years)	Chalk ASTM D 4214, Method A (Years)
Aged Bronze		●		0.86 ± 0.02	0.22	40	30	30
Black	●	●		0.86 ± 0.02	0.31	40	30	30
Bright Copper	●	●		0.89 ± 0.02	0.42	35	35	35
Bright White	●	●	●	0.85 ± 0.02	0.70	40	30	30
Burnished Slate	●	●		0.87 ± 0.02	0.32	40	30	30
Charcoal Gray	●	●		0.86 ± 0.02	0.36	40	30	30
Chestnut Brown	●			0.89 ± 0.02	0.29	40	30	30
Coco Brown	●	●		0.88 ± 0.02	0.34	40	30	30
Colony Green	●	●		0.89 ± 0.02	0.38	40	30	30
Dark Bronze		●		0.87 ± 0.02	0.24	40	30	30
Dark Charcoal		●		0.88 ± 0.02	0.21	40	30	30
Deep Blue	●	●		0.89 ± 0.02	0.27	40	30	30
Deep River Blue	●			0.89 ± 0.02	0.26	40	30	30
Desert Tan	●	●		0.87 ± 0.02	0.42	40	30	30
Forest Green	●			0.87 ± 0.02	0.27	40	30	30
Galvalume Plus	●	●	●	0.31 ± 0.02	0.68	n/a	n/a	n/a
Hawaiian Blue	●			0.87 ± 0.02	0.31	40	30	30
Ivy Green	●	●		0.89 ± 0.02	0.31	40	30	30
Light Gray	●	●		0.87 ± 0.02	0.46	40	30	30
Light Stone	●	●		0.83 ± 0.02	0.59	40	30	30
Mansard Brown	●	●		0.87 ± 0.02	0.17	40	30	30
Marine Green	●			0.89 ± 0.02	0.39	40	30	30
Matte Black	●	●		0.88 ± 0.02	0.26	40	30	30
Medium Bronze		●		0.87 ± 0.02	0.28	40	30	30
Orange ³	●	●		0.47 ± 0.02	0.52	n/a	n/a	n/a
Patriot Red	●	●		0.80 ± 0.02	0.42	40	30	30
Rustic Red	●	●		0.86 ± 0.02	0.39	40	30	30
Saddle Leather Brown	●	●		0.89 ± 0.02	0.30	40	30	30
Silver Metallic	●	●		0.83 ± 0.02	0.57	35	35	35
Smokestack Gray	●			0.88 ± 0.02	0.31	40	30	30
Smokey Pewter	●	●		0.88 ± 0.02	0.35	40	30	30
Tan	●	●		0.84 ± 0.02	0.50	40	30	30
Twilight Gray	●			0.84 ± 0.02	0.59	40	30	30
A606 Weathering Steel ³			●	n/a	n/a	n/a	n/a	n/a

¹ASTM C 1371 "Standard Test Method for Determination of Emittance of Materials Near Room Temperature Using Portable Emisimeters"

²ASTM C 1549 "Standard Test Method for Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer"

³No Warranty Available for Orange or A606 Weathering Steel

Mueller, Inc. reserves the right to add or discontinue colors without notice.

WARRANTY


Galvalume Plus primed cold rolled sheets with a minimum coating weight of AZ50 are an per ASTM A792. Note: Pass-through Galvalume warranties for coils vary depending on the provider. Ask your sales representative for more information.

The following fall under Sherwin-Williams® liquid coatings for coil coat application limited warranty for WeatherXL:

Bright White ■ Aged Bronze ■ Medium Bronze ■ Dark Bronze ■ Dark Charcoal ■ Charcoal Gray ■ Mansard Brown ■ Burnished Slate ■ Coco Brown ■ Black ■ Matte Black ■ Smokey Pewter ■ Desert Tan ■ Rustic Red ■ Light Gray.

All other colors fall under AKZO NOBEL™ liquid coatings for coil coat application limited warranty for CERAM-A-STAR® 1050 CC and Trinar CC coil sales only except for Orange and A606 Weathering Steel which have No Warranty.

Please visit www.MuellerInc.com/Coil-Warranty for more detailed information.



CALL: 877-2-MUELLER (877-268-3553)

CLICK: WWW.MUELLERINC.COM

COME BY: OUR CONVENIENT LOCATIONS

